

PIUSI ADBLUE CABINET PUMP KIT 34LPM F0020196B

F0020196B

FLUID COMPATIBILITY

AdBlue

Complete lockable cabinet with 230V pump, digital meter, 4m hose and auto nozzle for AdBlue, coolant or water dispensing at 32 L/min.



FEATURES

- Lockable weatherproof cabinet
- Digital meter with totaliser and batch
- 230V AC pump, 32 L/min
- 4m delivery hose, 19mm ID
- Auto shut-off nozzle
- AdBlue, coolant and water compatible
- Weight 25 kg

BENEFITS

- Metered dispensing cuts waste and tracks usage
- Lockable cabinet keeps fluids secure on site
- Auto nozzle stops spills, faster fills
- Ready to plug in and dispense, no assembly fuss

TECHNICAL SPECIFICATIONS

Flow Rate	32ltr Per Min	Weight	25
Duty Cycle	20 mins	Protection Grade	IP55
Voltage	230V		

USE CASE & APPLICATION

- Fleet workshop AdBlue dispensing
- Service centre coolant fills
- Fixed-site water and DEF supply
- Machinery maintenance bays



CAR FILLING

FUEL MANAGEMENT
SYSTEMS

KITS



PUMPS



METERS



METERED NOZZLES

SUZZARABLU BOX

FEATURES

- EASY TO INSTALL
- READY TO USE
- BUILT-IN LOCK

The PIUSI SUZZARABLU BOX is specifically designed for wall or tank installation. Is is equipped with a metallic box which allows to lock up all the equipment.

PERFORMANCE

UP TO

32 L/MIN

FLOW RATE

AC**VOLTAGE**

POWER

±1%

ACCURACY

20 MIN

DUTY CYCLE

**SUZZARABLU BOX**

PACKAGING

CODE	WEIGHT		PACKAGING		
	KG	LBS	MM	INCH	PCS/BOX
FOO20196B	25	55,1	575X320X607	22,6X23,9	1



NOZZLES



FILTRATION



TANK MONITORING



HOSE REEL



ACCESSORIES



MERCHANDISE

INDEX



AIR



ANTIFREEZE



AdBlue®



BIODIESEL



DIESEL



FOOD



GASOLINE



GREASE



KEROSENE



OIL




WATER



WINDSCREEN

CHART


SUZZARABLU AC



TYPE OF FLUID WATER

TEMPERATURE 20°C

DIMENSIONS



Dimensions expressed in millimeters

IN THE BOX

- SUZZARABLU PUMP AC
- K24 METER
- NOZZLE
- INSTRUCTION MANUAL

DETAILS



COMPONENTS

- PUMP:
SUZZARABLU PUMP AC
- METER:
K24
- NOZZLE:
SUZZARABLU A60

TECHNICAL DATA

CODE	DESCRIPTION	FLUIDS TYPE	FLOW RATE		VOLTAGE			METER	NOZZLE	HOSE LENGTH
			L/MIN	GPM	AC V/HZ DC VOLT	POWER WATT	AMP. MAX.	MOD.	TYPE	
FOO20196B	SUZZARABLU BOX		32	8,5	230/50	400	1,95	K24	SUZZARABLU NOZZLE A60	6 M