

PIUSI DRUM / TANK CONNECTOR RANGE

F08934020

Telescopic suction spear for Piusi EX50 pumps. ATEX / IECEx / UL certified for safe fuel handling. Extends to draw from drum or tank depths.



FEATURES

- Telescopic suction spear
- 12V DC operation
- ATEX, IECEx, UL certified
- Piusi EX50 pump compatible
- Adjusts to tank depth
- Weight 0.6 kg

BENEFITS

- Reaches fuel at different drum or tank levels
- Certified safe for hazardous fuel environments
- Direct replacement, no guesswork on fit
- Lightweight, easy to handle during servicing

TECHNICAL SPECIFICATIONS

Voltage	12V
Weight	0.6 kg
Certifications	ATEX

Telescopic Design	adjusts to tank depth
Direct Fit	Piusi EX50 pumps

USE CASE & APPLICATION

- EX50 pump repairs
- Drum fuel transfer setups
- Mobile refuelling equipment
- Workshop diesel dispensing



FUEL MANAGEMENT
SYSTEMS



DISPENSERS



KITS



PUMPS



METERS



NOZZLES

CONNECTORS

FEATURES

- STURDY STRUCTURE
- READY TO USE
- SEVERAL SOLUTIONS AVAILABLE

The range of fuel products is completed with a wide array of accessories for connecting products to allow the best performance. Starting from the 2" connectors and quick coupling.

PERFORMANCE

2"

DRUM CONNECTOR

2"

QUICK COUPLING



2" DRUM CONNECTOR WITHOUT
INTEGRATED VALVE



2" DRUM CONNECTOR WITH
FLANGED AND INTEGRATED VALVE



2" DRUM CONNECTOR WITH
INTEGRATED VALVE



2" QUICK COUPLING



PACKAGING

CODE	PACKAGING			
	KG	MM	INCH	PCS/BOX
2" CONNECTOR				
F17163000	0,6	133X98X85		1
F17190000	0,6	133X98X85		1
F17163010	0,8	133X98X85		1
2" QUICK COUPLING				
RO9160000	0,9	133X98X85		1
FO893000A	0,9	133X98X85		1
EXTENSIBLE PIPE				
FO8934000	0,2	680X40X40		
FO8934010	3,9	830X160X100		
FO8934020	1,9	680X40X40		1



FILTRATION



TANK MONITORING



HOSE REEL



ACCESSORIES



MERCHANDISE

PIUSI



ANY BIODIESEL



AIR



ANTIFREEZE



AdBlue®



BIODIESEL



DIESEL



FOOD



GASOLINE



GREASE



KEROSENE



OIL



WATER



WINDSCREEN

DIMENSIONS

COMPLETE KIT EXTENSIBLE SUCTION PIPE (1800MM)

CODE:
FO08934010

WEIGHT:
3,9 KG

PACKAGING:
820X150X100



A:
DRUM CONNECTOR
FLANGED AND VALVE

B:
EXTENSIBLE STEEL
PIPE 1" BSP

C:
STEEL PIPE 1" BSP

IN THE BOX

- CONNECTOR
- INSTRUCTION MANUAL

DETAILS



MESH STRAINER



INTEGRATED VALVE


DIMENSIONS

EXTENSIBLE PIPE PLASTIC MADE



940mm

EXTENSIBLE STEEL PIPE 1" BSP




1100mm

2" CONNECTOR



2" QUICK CONNECTOR



Dimensions expressed in millimeters

TECHNICAL DATA

CODE	DESCRIPTION	FLUIDS TYPE	INTEGRATED VALVE	FILTER	INLET BSP	OUTLET BSP	THREADED FLANGE BSP	A BSP	B BSP	C BSP	KEY
------	-------------	-------------	------------------	--------	--------------	---------------	------------------------	----------	----------	----------	-----

2" CONNECTOR

F17163000	DRUM CONNECTOR WITH INTEGRATED VALVE	D G K O	YES	YES	2"	-	NO	1"	1"	2"	-
F17190000	DRUM CONNECTOR WITHOUT INTEGRATED VALVE	D G K O	NO	YES	2"	-	NO	1"	1"	2"	-
F17163010	DRUM CONNECTOR WITH FLANGED AND INTEGRATED VALVE	D G K O	YES	YES	2"	1"	YES	1"	1"	2"	-

2" QUICK COUPLING

R09160000	QUICK COUPLING 3/4"	D O	NO	NO	3/4"	1"	NO	M 3/4"	F 1"	M 2"	60
F0893000A	QUICK COUPLING 1"	D O	NO	NO	1"	1"	NO	M 1"	F 1"	M 2"	60

EXTENSIBLE PIPE

F08934000	EXTENSIBLE SUCTION PIPE 1" 940MM PLAST.	D G K O	-	-	1"	1"	-	-	-	-	-
F08934010	KIT EXTENSIBLE SUCTION PIPE 1" 1800MM	D G K O	YES	YES	2"	1"	YES	1"	1"	2"	-
F08934020	EXTENSIBLE SUCTION PIPE 1" 1100MM STEEL	D G K O	-	-	1"	1"	-	-	-	-	-