

PIUSI USB KEY READER F1226201A

F1226201A

RFID key reader for Piusi fuel dispensers. Tracks who takes fuel, when, and how much. Logs to FMS software for fleet accountability.



FEATURES

- RFID key-fob access control
- Logs user, time, volume to FMS
- Works with Piusi K-series dispensers
- 230V power supply
- Max flow logging 72 L/min
- 1 kg compact unit
- Indoor/outdoor rated enclosure
- No subscription or cloud fees

BENEFITS

- Stop fuel theft, know who took what
- No cloud fees, data stays on your network
- Fits existing Piusi dispensers without rework
- Simple tap-and-go, no PIN codes to remember

TECHNICAL SPECIFICATIONS

Flow Rate	72 L/min
Voltage	230V
Weight	1 kg

RFID Key	fob access control
Works With Piusi K	series dispensers

USE CASE & APPLICATION

- Fleet depot diesel bowsers
- Workshop petrol dispensing
- Construction yard refuelling stations
- Council vehicle depots
- Mining site fuel tracking



CAR FILLING

FUEL MANAGEMENT
SYSTEMS

KITS



PUMPS



METERS



METERED NOZZLES

DATA TRANSFER AGILIS

DATA TRANSFER SSM AGILIS is a set of different solutions that let to download the transactions from the dispensers to the SELF SERVICE MANAGEMENT AGILIS software. The great variety of the offer is based on the technology required.

Manual download

The easiest way to download the informations is through the Manager key, it is enough to touch the dispenser with the key to transfer all the transactions and download them on the software.

Local network

Use the local network Lan/Wi-Fi to download the dispenser to your pc. By choosing between the PWLAN or PW Wi-Fi it is possible to set up a connection that let you receive all the transactions in real time.

Mobile network

Thanks to the new PW MOBILE 4G is now possible to install all the dispensers everywhere in the world with just the need of a mobile network coverage, with SIM card, avoiding all the local network configurations.





NOZZLES



FILTRATION



TANK MONITORING



HOSE REEL



ACCESSORIES



MERCHANDISE

PW14 / RS 485



Connection via
RS485 cable
with USB
converter.

KEY READER, MANAGER KEY & MANAGER KEY USB TYPE C



PW LAN



A device that allows
to convert the RS485 signal
to LAN, through a simple
and intuitive interface.



A device that allows
to convert the
RS485 signal to
Wi-Fi, through a
simple and intuitive
interface.



A new omuncation
system that allows you
to transfer data using
mobile 4G network.

TECHNICAL DATA

CODE	DESCRIPTION
F13292000	PW 14 - USB CONVERTER
F1226201A	KIT KEY READER
F23525000	MANAGER KEY USB TYPE C
F1249600A	MANAGER KEY
F1271005A	PW-LAN
F1271004B	PW-WIFI
F1271015A	PW MOBILE 4G