

PIUSI YELLOW USER KEYS PKT10 F1590400A

F1590400A

Pack of 10 yellow user keys for Piusi FMS fleet management systems. Track driver fuel usage and simplify reconciliation on multi-user diesel sites.



FEATURES

- Pack of 10 yellow RFID user keys
- Compatible with Piusi FMS MC Box and K44
- Assigns fuel transactions to driver or vehicle
- Durable construction for workshop environments
- Simple allocation via FMS software
- Yellow colour coding for fleet organisation

BENEFITS

- Know who took fuel and when, no paperwork
- Catch misuse and over-fuelling before it blows the budget
- Yellow colour lets you assign by department or shift
- Keys survive pocket abuse better than paper docket

TECHNICAL SPECIFICATIONS

Flow Rate	72 L/min
Voltage	230V
Weight	1 kg
Pack Quantity	10 keys
Colour	Yellow

Compatible With	Piusi FMS MC Box and K44 systems
Function	Driver/vehicle identification and transaction logging
Durable RFID Construction	Field-proven on hundreds of Australian sites
Simple Assignment	Allocate keys via FMS software or on-dispenser menu

USE CASE & APPLICATION

- Multi-driver fleet diesel dispensing
- Construction site fuel accountability
- Workshop and depot refuelling
- Transport yard driver tracking
- Council and government fleet management



CAR FILLING

FUEL MANAGEMENT
SYSTEMS

KITS



PUMPS



METERS



METERED NOZZLES

SELF SERVICE MC 2.0

FEATURES

- STURDY STRUCTURE
- ALL-IN-ONE DISPENSER
- BUILT-IN LAN ADAPTER
- FRONT DOOR FOR EASY MAINTENANCE
- SSM 2.0 SOFTWARE REQUIRED
- IP55
- IDEAL FOR FUEL MANAGEMENT

The PIUSI SELF SERVICE MC 2.0 maintains all the advantages of the renown MC system integrated in an AdBlue® dispenser while granting all the 2.0 features: AdBlue® consumption monitoring and report, fleet management, vehicles and users control.

PERFORMANCE

UP TO

32 L/MIN

FLOW RATE

LAN

CONNECTION

±1%

ACCURACY

**SELF SERVICE MC 2.0**

PACKAGING

CODE	WEIGHT		PACKAGING		N. BOXES/EUROPALLET	
	KG	LBS	MM	PCS/BOX		
FO074306A	50	110	1478X488X400	1	6 *	4



NOZZLES



FILTRATION



TANK MONITORING



HOSE REEL



ACCESSORIES



MERCHANDISE

INDEX



AIR



ANTIFREEZE



AdBlue®



BIODIESEL



DIESEL



FOOD



GASOLINE



GREASE



KEROSENE



OIL




WATER




WINDSCREEN

CHART



DIMENSIONS



Dimensions expressed in millimeters

IN THE BOX

- SELF SERVICE MC 2.0 DISPENSER
- DELIVERY HOSE
- SB325_X NOZZLE
- INSTRUCTION MANUAL

DETAILS



SSM 2.0 SOFTWARE (PAG. 34)

COMPONENTS

- **PUMP:**
SUZZARABLU PUMP AC
- **METER:**
K24
- **NOZZLE:**
SB325_X
- **FILTER:**
3D FILTER

TECHNICAL DATA

CODE	DESCRIPTION	FLUIDS TYPE	FLOW RATE		VOLTAGE			METER	NOZZLE	FILTER	INLET	DELIVERY HOSE
			L/MIN	GPM	AC V/HZ DC VOLT	POWER WATT	AMP. MAX.	MOD.	TYPE	3D FILTER	BSP	LENGHT
FO074306A	SELF SERVICE 70 MC 2.0 FOR ADBLUE		32	8,5	230/50	400	1,95	K24	S8325	YES	3/4"	6 M