EASY NEXT/2

FEATURES

- · HIGH RATIO PRESSURE
- LOW PRESSURE DROP
- · STURDY AND DURABLE
- BUILT-IN LEVER LOCK
- READY TO USE
- EASY TO CALIBRATE
- ELECTRONIC RESET FUNCTION
- · LOW BATTERY CONSUMPTION
- IP65 PROTECTION
- RUBBER PROTECTION
- · ADJUSTABLE UMA CAMSHAFT
- SWIVEL
- 2 "AAA" BATTERIES INCLUDED

PERFORMANCE



70 BAR
OPERATING PRESSURE

± 0,5%

2000 CST

VISCOSITY



The PIUSI EASY NEXT/2 is the answer to all the needs of a high flow rate oil dispense and measure. It is composed by the PISTOL-ONE nozzle and the oval gear meter NEXT/2.



| PACKAGING | | | | | | | | | | | |
|-----------|--------|-----|-------------|------------|---------|------------|-----|--|--|--|--|
| CODE | WEIGHT | | | N. BOXES/ | | | | | | | |
| | KG | LBS | ММ | PCS/PALLET | PCS/BOX | EUROPALLET | | | | | |
| F00974010 | 2,9 | 6,4 | 115X135X16O | | 1 | 100 | 120 | | | | |
| F00974020 | 3 | 6,6 | 115X135X16O | | 1 | 100 | 120 | | | | |







FLUID MONITORING



TANK MONITORING



HOSE REELS



ACCESSORIES

MERCHANDISE





ANTIFREEZE









TYPE OF FLUID OIL SAE 10W40

TEMPERATURE 23 °C














CHART



P = TOTAL PRESSURE (bar)

DIMENSIONS

IN THE BOX

- PISTOL-ONE NOZZLE
- NEXT/2 METER
- INSTRUCTION MANUAL

DETAILS










EASY NEXT/2 NOZZLE METER SIDE



Dimensions expressed in millimeters

MATERIALS

- NOZZLE BODY: ALLUMINIUM
- VALVE: NBR, NICKEL PLATED STEEL, BRASS
- METER BODY: ALLUMINIUM
- GEARS: TECHNOPOLYMER



| TECHNICAL DATA | | | | | | | | | | | |
|----------------|----------------------------------|-------------|------------|---------------------------------|-----------|----------|---------------------|-----|------------------------|----------|------------|
| CODE | DESCRIPTION | FLUIDS TYPE | SPOUT TYPE | SEMI AUTOMATIC NO DRIP VALUE | FLOW RATE | | WORKING PRESSURE | | BATTERY INCLUDED | INLET | OUTLET |
| | | | | | L/MIN | GPM | BAR | PSI | AAA NO. 2 2 X 1.5 V | | |
| F00974010 | EASY NEXT/2 ·" BSP W/RIGID SPOUT | 0 | RIGID | YES | 6 - 60 | 1,5 - 15 | 70 | 994 | 2 | 3/4" BSP | RIGID EXT. |
| F00974020 | EASY NEXT/2 ·" BSP W/FLEX SPOUT | 0 | FLEXIBLE | YES | 6 - 60 | 1,5 - 15 | 70 | 994 | 2 | 3/4" BSP | FLEX EXT. |